

Vertical axis wind turbine generator Technical Datasheet

Part No:	EN-1KW-Q5		
Description:	The permanent magnetic EN-1KW-Q5 wind turbine is combined by savonius and darrieus turbines, has high-efficient energy output, is the most compact, quiet, rugged and reliable vertical axis small wind turbine. The EN-1KW-Q5 wind turbine is widely used in LED lighting system, signal & camera security, telecommunication field for off-grid residence. The EN-1KW-Q5 wind turbine is extremely easy to integrate with solar panels to create off-grid power systems that require modest amounts of energy. Available in 48V for battery.	C	E

Design


- 1) The EN-1KW-Q5 is the best & reasonable combination of savonius and darrieus wind turbine generator.
- 2) <u>The EN-1KW-Q5 is designed on a unique low inertia axial flux generator which utilizes Neodymium permanent magnetic material.</u>
- 3) The E EN-1KW-Q5 has zero cogging with its highly efficient, allow the turbine to generate power at very low wind speeds and deliver a high output in working wind speeds.
- 4) <u>The EN-1KW-Q5 can survive from winds up to 45m/s by a passive aero-dynamic design that reduces turbine RPM and power</u> output at a certain threshold.
- 5) The robust aluminum alloy chassis and stainless steel components are protected by the aerospace grade coatings and anodizing.

Advantage



Feature

EN-1KW-Q5 wind turbine					
Turbine diameter	÷	2.0 meter			
Turbine height	÷	1.85 meter			
Rotor Type	÷.	Vertical savonius & darrieus combination			
Blade Material	÷	Casting aluminum alloy			
Rated output	÷	1000w at 12m/s			
Peak output	+	1050W			
Cut-in speed	:	3m/s			
Voltage	:	48V			



* Wind turbine performance is subject to many factors. All output data contained in this document is indicative and actual turbine outputs will depend on the prevailing site and installation conditions.

